



**BOMBAS VANBRO LTDA**

SAPUCAIA DO SUL - RS


BRASIL

**BOMBA SUMERGIBLE MODELO VBOP63**


EMPLEO: POZO PROFUNDO Ø6"

(DIÁM. 140mm 50HZ 2900RPM)

**TABLA DE RENDIMIENTOS**



○ Nº DE ETAPAS



MODELO	MOTOR	E	HP	CAUDAL Y ALTURA MANOMÉTRICA TOTAL										m³/h
				0	7.5	8.3	9.2	10	10.8	11.7	12.5	13.3		
VBOP.63X.03.020.Y	VMUP	3	2.0	37.2	33.4	31.6	30.0	28.2	25.4	22.6	19.7	16.4	METROS	
VBOP.63X.05.025.Y	VMUP	5	2.5	56.0	49.6	47.2	44.8	42.0	38.0	33.9	29.8	25.2		
VBOP.63X.06.035.Y	VMUP	6	3.5	74.9	66.8	63.7	60.6	56.9	51.4	46.2	40.5	34.5		
VBOP.63X.08.045.Y	VMUP	8	4.5	95.2	85.5	82.0	78.0	73.2	66.8	60.0	53.4	45.7		
VBOP.63X.10.055.Y	VMUP	10	5.5	113.7	102.3	98.6	93.8	88.0	80.9	73.5	65.1	55.0		
VBOP.63X.11.065.Y	VMUP	11	6.5	134.5	120.8	115.7	110.8	104.2	95.2	86.2	77.1	65.3		
VBOP.63X.13.070.Y	VMUP	13	7.0	152.5	136.8	130.7	125.5	118.4	107.7	97.4	87.6	74.4		
VBOP.63X.14.080.Y	VMUP	14	8.0	169.5	153.9	147.6	141.4	132.2	122.1	110.7	98.7	83.6		
VBOP.63X.16.090.Y	VMUP	16	9.0	185.9	168.3	161.2	154.0	144.1	133.4	120.5	107.8	91.3		
VBOP.63X.18.100.Y	VMUP	18	10.0	212.7	191.8	184.7	176.7	165.6	153.6	139.9	125.1	105.8		
VBOP.63X.19.110.Y	VMUP	19	11.0	234.2	211.3	204.7	195.8	183.4	170.7	156.6	139.8	118.3		
VBOP.63X.21.120.Y	VMSP	21	12.0	249.4	229.5	221.2	210.9	199.0	185.0	170.0	151.1	132.6		
VBOP.63X.22.130.Y	VMSP	22	13.0	262.9	244.2	235.4	224.4	212.3	196.9	181.0	161.2	141.1		
VBOP.63X.26.150.Y	VMSP	26	15.0	301.2	278.3	269.0	254.0	236.6	219.1	199.4	174.9	153.2		
VBOP.63X.29.160.Y	VMSP	29	16.0	333.9	308.2	298.2	281.5	263.0	244.6	221.1	192.9	168.7		
VBOP.63X.32.180.Y	VMSP	32	18.0	361.9	345.4	331.1	315.0	295.0	272.3	248.6	222.2	195.8		
VBOP.63X.35.200.Y	VMSP	35	20.0	413.2	389.6	374.1	355.2	336.7	314.6	289.3	261.9	233.1		
VBOP.63X.38.225.Y	VMSP	38	22.5	440.3	421.2	409.9	389.4	366.7	341.0	312.4	283.8	248.9		