



BOMBAS VANBRO LTDA

SAPUCAIA DO SUL - RS


BRASIL

BOMBA SUMERGIBLE MODELO VBOP65


EMPLEO: POZO PROFUNDO Ø6"

(DIÁM. 140mm 50HZ 2900RPM)

TABLA DE RENDIMIENTOS



○ Nº ETAPAS



MODELO	MOTOR	E	HP	CAUDAL Y ALTURA MANOMÉTRICA TOTAL										m³/h
				0	10	11.7	13.3	15	16.7	18.3	20	21.7		
VBOP.65X.03.030.Y	VMUP	3	3.0	38.6	33.1	31.5	29.4	26.7	23.3	18.9	13.3	7.0	METROS	
VBOP.65X.05.040.Y	VMUP	5	4.0	58.0	51.3	48.7	45.5	41.4	36.1	29.4	21.0	10.8		
VBOP.65X.06.055.Y	VMUP	6	5.5	77.2	68.3	65.0	60.7	55.1	48.1	39.2	28.1	14.4		
VBOP.65X.08.070.Y	VMUP	8	7.0	96.6	85.3	82.1	77.7	71.6	63.6	53.2	40.3	24.3		
VBOP.65X.10.080.Y	VMUP	10	8.0	115.9	103.4	99.4	94.2	86.8	77.1	64.6	48.8	29.5		
VBOP.65X.11.100.Y	VMUP	11	10.0	135.3	120.7	116.1	109.9	101.2	96.6	75.4	57.0	34.4		
VBOP.65X.13.110.Y	VMUP	13	11.0	154.6	139.6	133.5	126.2	116.8	105.2	90.6	72.5	49.9		
VBOP.65X.14.120.Y	VMUP	14	12.0	173.9	158.6	151.8	143.3	132.8	119.6	103.1	82.4	56.5		
VBOP.65X.16.140.Y	VMUP	16	14.0	193.3	178.0	170.4	160.8	148.9	134.2	115.6	92.4	63.3		
VBOP.65X.18.150.Y	VMUP	18	15.0	212.6	194.0	185.6	175.1	162.3	146.1	126.0	100.7	69.2		
VBOP.65X.19.160.Y	VMUP	19	16.0	232.0	204.2	196.8	186.8	173.1	155.0	131.7	102.3	72.2		
VBOP.65X.21.180.Y	VMUP	21	18.0	251.2	223.4	215.4	204.4	189.4	169.6	144.1	112.0	75.3		
VBOP.65X.22.190.Y	VMUP	22	19.0	270.6	243.0	234.3	222.3	206.0	184.5	156.8	121.8	78.9		
VBOP.65X.24.200.Y	VMUP	24	20.0	289.6	257.7	248.5	235.8	218.6	195.7	166.2	129.3	83.6		
VBOP.65X.26.225.Y	VMUP	26	22.5	309.2	286.4	273.2	256.9	236.7	211.9	181.1	142.8	95.5		
VBOP.65X.27.225.Y	VMUP	27	22.5	328.6	301.4	287.5	270.3	249.0	222.9	190.4	150.3	100.5		
VBOP.65X.29.250.Y	VMUP	29	25.0	347.9	315.9	301.4	283.4	261.1	233.6	199.7	157.5	105.4		
VBOP.65X.32.275.Y	VMUP	32	27.5	387.1	350.7	334.5	314.5	289.9	259.4	221.7	174.9	116.9		
VBOP.65X.35.300.Y	VMUP	35	30.0	425.8	385.8	368.0	346.0	318.9	285.3	243.9	192.4	128.6		
VBOP.65X.38.325.Y	VMUP	38	32.5	464.1	420.5	401.1	377.1	347.6	311.1	265.8	209.7	140.1		